

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FalconKeyRing_Reformulated

Revision date: 03.01.2022

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**FalconKeyRing_Reformulated **UFI: T200-U0CW-500N-QQUF****1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Washing and cleaning products

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: Falcon Waterfree Europe GmbH
c/o Von Allmen AG Treuhandgesellschaft
Street: Chamerstrasse 44
Place: CH-6331 Hünenberg
Telephone: +49 9070 256 914 - 4
e-mail: cmitlehner@falconwatertech.com
Internet: www.FalconWatertech.com
Responsible Department: Verkauf

1.4. Emergency telephone number:

TOX-Zentrum Zürich 0041-145

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

turpentine, oil

4-isopropylidene-1-methylcyclohexene

alpha-Pinene (2,6,6-TRIMETHYL-BICYCLO(3,1,1,)HEPT-2-ENE)

dipentene; limonene

Signal word: Warning**Pictograms:****Hazard statements**

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FalconKeyRing_Reformulated

Revision date: 03.01.2022

Page 2 of 9

P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of waste according to applicable legislation.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
8006-64-2	turpentine, oil			1 - < 5 %
	232-350-7	650-002-00-6		
	Flam. Liq. 3, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Chronic 2; H226 H332 H312 H302 H315 H319 H317 H304 H411			
586-62-9	4-isopropylidene-1-methylcyclohexene			< 1 %
	209-578-0			
	Flam. Liq. 3, Skin Sens. 1, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H317 H304 H400 H410			
80-56-8	alpha-Pinene (2,6,6-TRIMETHYL-BICYCLO(3,1,1,)HEPT-2-ENE)			< 1 %
	201-291-9			
	Flam. Liq. 3, Skin Sens. 1, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H317 H304 H400 H410			
138-86-3	dipentene; limonene			< 1 %
	205-341-0	601-029-00-7		
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H315 H317 H400 H410			
27458-92-0	tridecan-1-ol			< 1 %
	248-469-2			
	Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1; H315 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
8006-64-2	232-350-7	turpentine, oil	1 - < 5 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg		

Further Information

General information:

Full text of H- and EUH-statements: see section 16.

Labelling for contents according to regulation (EC) No. 648/2004:

>= 30 % non-ionic surfactants. Further information: perfumes (Limonene).

SECTION 4: First aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FalconKeyRing_Reformulated

Revision date: 03.01.2022

Page 3 of 9

4.1. Description of first aid measures

General information

Move victim out of danger zone.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Following inhalation: Move victim to fresh air. Consult physician.

If unconscious but breathing normally, place in recovery position and seek medical advice.

After contact with skin

After contact with skin, wash immediately with: Water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Let water be drunken in little sips (dilution effect).

Call a physician immediately. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Caution if victim vomits: Risk of aspiration! Let water be drunken in little sips (dilution effect). If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet / alcohol resistant foam / Carbon dioxide (CO₂) / Dry extinguishing powder / Extinguishing powder
Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide (CO₂).

Carbon monoxide.

Nitrogen oxides (NO_x).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Wear chemical resistant suit.

In case of fire and/or explosion do not breathe fumes.

Suppress gases/vapours/mists with water spray jet.

German Industry Norms (DIN) / European Norms (EN): DIN EN 469

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FalconKeyRing_Reformulated

Revision date: 03.01.2022

Page 4 of 9

6.1. Personal precautions, protective equipment and emergency procedures

General measures

- Wear personal protection equipment.
- High slip hazard because of leaking or spilled product.
- Avoid contact with skin and eyes.

6.2. Environmental precautions

- Contaminated fire-fighting water must be collected separately.
- Do not allow to enter into soil/subsoil.
- Do not allow to enter into surface water or drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Other information

- Clean contaminated articles and floor according to the environmental legislation.
- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

- Avoid contact with skin and eyes.
- When using do not eat, drink or smoke.

Advice on protection against fire and explosion

- No special precautionary measures are necessary.

Further information on handling

- Follow the instructions for use on the label.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

- Store only in original container.
- Keep container tightly closed in a cool, well-ventilated place.
- Conditions to avoid:
 - UV-radiation/sunlight.
- Keep away from food, drink and animal feedingstuffs.
- Protect against: frost.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
8006-64-2	Turpentine	100	566		TWA (8 h)	WEL
		150	850		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

- Provide adequate ventilation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FalconKeyRing_Reformulated

Revision date: 03.01.2022

Page 5 of 9

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.
If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Protective and hygiene measures

Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and after work. Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
Keep away from: food, feeding stuff

Eye/face protection

Suitable eye protection:
Tightly sealed safety glasses. (DIN EN 166)

Hand protection

Recommendation:
Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374
Suitable material: NBR (Nitrile rubber).
Suitable material: Butyl rubber.
Permeation time (maximum wear time): 8 h
Thickness of the glove material: 0,5
Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Wear suitable protective clothing. (EN 368).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Environmental exposure controls

Do not allow uncontrolled leakage of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	fest
Colour:	green
Odour:	product-specific
pH-Value:	7

Changes in the physical state

Melting point:	not relevant
Boiling point or initial boiling point and boiling range:	not relevant
Sublimation point:	not relevant
Softening point:	not relevant
Pour point:	not relevant
:	not relevant
Flash point:	not relevant

Flammability

Solid/liquid:	not relevant
Gas:	not relevant
Lower explosion limits:	not relevant
Upper explosion limits:	not relevant
Auto-ignition temperature:	not relevant

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FalconKeyRing_Reformulated

Revision date: 03.01.2022

Page 6 of 9

Self-ignition temperature

Solid: not relevant
Gas: not relevant

Decomposition temperature: not relevant

Oxidizing properties

not relevant

Vapour pressure: not relevant

Vapour pressure: not relevant

Density: not relevant

Bulk density: not relevant

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not relevant

Viscosity / dynamic: not relevant

Viscosity / kinematic: not relevant

Flow time: not relevant

Relative vapour density: not relevant

Evaporation rate: not relevant

Solvent separation test: not relevant

Solvent content: not relevant

9.2. Other information

Solid content: not relevant

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Protect against: frost.

10.5. Incompatible materials

No hazardous reaction when handled and stored according to provisions.

10.6. Hazardous decomposition products

The product is chemically stable under recommended conditions of storage, use and temperature.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FalconKeyRing_Reformulated

Revision date: 03.01.2022

Page 7 of 9

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
8006-64-2	turpentine, oil				
	oral	ATE 500 mg/kg			
	dermal	ATE 1100 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation aerosol	ATE 1,5 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (turpentine, oil; 4-isopropylidene-1-methylcyclohexene; alpha-Pinene (2,6,6-TRIMETHYL-BICYCLO(3,1,1,)HEPT-2-ENE); dipentene; limonene)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the preparation/mixture itself.

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains.
Dispose of waste according to applicable legislation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FalconKeyRing_Reformulated

Revision date: 03.01.2022

Page 8 of 9

Consult the appropriate local waste disposal expert about waste disposal.
Consult the appropriate authorities about waste disposal.

Contaminated packaging

Wash with plenty of water..
Completely emptied packings can be re-cycled.
Dispose of waste according to applicable legislation.

SECTION 14: Transport information

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FalconKeyRing_Reformulated

Revision date: 03.01.2022

Page 9 of 9

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)